

2011

YOLO-SOLANO AIR QUALITY MANAGEMENT DISTRICT
1947 Galileo Court, Suite 103, Davis, CA 95618 (530) 757-3650
CALENDAR YEAR THROUGHPUT/PRODUCTION REPORT - COATING OPERATION

| | | |
|-----------------------------------|------------------------|--|
| 1. COMPANY NAME LISTED ON PERMIT: | 2. EQUIPMENT LOCATION: | 3. PERMIT # (One form per permit): P- - |
|-----------------------------------|------------------------|--|

| | |
|-------------------------|---|
| 4. PROCESS DESCRIPTION: | 5. RESPONSIBLE PERSON NAME: (Print) _____ (Signature) _____ |
|-------------------------|---|

| | |
|-----------|------------------|
| 6. TITLE: | 7. PHONE NUMBER: |
|-----------|------------------|

8. Production Hours
for Permitted Process:

| | | | |
|--|--|--|--|
| | | | |
|--|--|--|--|

(Hours/Day)

(Days/Week)

(Weeks/Year)

(List Months of Operation)

9. **Actual** Permitted Process Usage:

COMPLETE ATTACHED COATING LIST AND COATING USAGE FORMS

10. **Actual** Booth Heater Fuel Usage (if applicable):

| Type | 1 st Qtr (Jan-Mar) | Units | 2 nd Qtr (Apr-Jun) | Units | 3 rd Qtr (Jul-Sep) | Units | 4 th Qtr (Oct-Dec) | Units | Total Annual Fuel | Units |
|------|-------------------------------|-------|-------------------------------|-------|-------------------------------|-------|-------------------------------|-------|-------------------|-------|
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

THIS FORM IS DUE BY MARCH 31, 2012

| 9a. Coating Usage: Metal | TOTAL COATINGS USED | | | | ANNUAL TOTAL QUANTITY OF COATINGS USED [gallons] | x | VOC CONTENT AS APPLIED INCLUDING WATER & EXEMPT COMPOUNDS [lb/gal] | = | TOTAL VOC EMISSIONS* [lbs] |
|--------------------------|---------------------|---------------------------------|---------------------------------|---------------------------------|--|---|--|---|----------------------------|
| | COATING CATEGORY | 1st Quarter (Jan-Mar) (gallons) | 2nd Quarter (Apr-Jun) (gallons) | 3rd Quarter (Jul-Sep) (gallons) | | | | | |
| GENERAL COATINGS | | | | | | | | | |
| ETCHING FILLER | | | | | | | | | |
| SOLAR-ABSORBENT | | | | | | | | | |
| HEAT-RESISTANT | | | | | | | | | |
| HIGH GLOSS | | | | | | | | | |
| METALLIC | | | | | | | | | |
| EXTREME PERFORMANCE | | | | | | | | | |
| POWDER COATING | | | | | | | | | |
| STRIPPER | | | | | | | | | |
| ADHESIVE | | | | | | | | | |
| MOLD-SEAL | | | | | | | | | |
| LOW TEMPERATURE | | | | | | | | | |
| HIGH TEMPERATURE | | | | | | | | | |
| POWDER COATING | | | | | | | | | |
| PRETREATMENT WASH PRIMER | | | | | | | | | |
| SOLVENT | | | | | | | | | |

*Total VOC Emissions is the product of the Annual Total Quantity of Coatings used and the VOC Content.

Note: If there are multiple VOC contents for the coating use the highest.

